



Name: \_\_\_\_\_

Date: \_\_\_\_\_

## Student Exploration: Osmosis

**Vocabulary:** cell membrane, concentration, diffusion, dynamic equilibrium, osmosis, semipermeable membrane, solute, solvent

**Prior Knowledge Questions** (Do these BEFORE using the Gizmo.)

1. Suppose you were trapped on a desert island with no sources of fresh water. Should you drink water from the ocean? Explain why or why not.

---



---

2. What do you think would happen if you watered your houseplants with salt water?

---




---

### Gizmo Warm-up

A **cell membrane** is a thin “skin” that surrounds a cell. It is a **semipermeable membrane**, which means that some particles pass through the membrane easily while others cannot.

The *Osmosis* Gizmo portrays a cell (red square) in a solution of purple **solute** particles dissolved in green **solvent** particles. Press **Play** (▶) and observe.



1. Which particles can pass through the cell membrane?


---

2. Which particles cannot pass through the cell membrane? \_\_\_\_\_

3. Click **Reset** (↺), and then click **Play** again. What do you notice about the size of the cell?

---



<b>Activity A:</b>  <b>Observing osmosis</b>	<u>Get the Gizmo ready:</u> <ul style="list-style-type: none"> <li>• Click <b>Reset</b>. Set the <b>Initial cell volume</b> to 40%.</li> <li>• You will need a calculator for this activity.</li> </ul>	
--	---	---

**Question: How do solute concentrations affect the volume of a cell?**

1. Observe: Use the **Solute outside** slider to change the concentration of solute particles outside the cell. Click **Play**. In each case, focus on whether the cell gets bigger or smaller.

A. In what situation does the cell get larger? \_\_\_\_\_

\_\_\_\_\_

B. In what situation does the cell get smaller? \_\_\_\_\_

\_\_\_\_\_

2. Calculate: The **concentration** of a solute is the amount of solute particles in a given amount of solvent. To calculate percentage concentration, divide the number of solute particles by the total number of particles (solute + solvent), and then multiply by 100:

$$\% \text{ concentration} = (\text{solute} \div \text{total particles}) \times 100$$

Select the DESCRIPTION tab. Click **Reset**. Set the **Solute outside** to 10 and check that the **Initial cell volume** is 40%. (Note: The cell volume is expressed as a percentage of the container size.)

A. How many solute particles are found inside the cell? \_\_\_\_\_ Outside? \_\_\_\_\_

B. How many solvent particles are found inside the cell? \_\_\_\_\_ Outside? \_\_\_\_\_

C. What is the total number of particles inside the cell? \_\_\_\_\_ Outside? \_\_\_\_\_

D. What is the % concentration of solute inside the cell? \_\_\_\_\_

E. What is the % concentration of solute outside the cell? \_\_\_\_\_

3. Observe: Click **Play**, and observe the numbers shown on the DESCRIPTION pane. How does each number change over time? Write “increases,” “decreases,” or “stays the same” (or “same”) in each space.

• Solute particles inside? \_\_\_\_\_ • Solute particles outside? \_\_\_\_\_

• Solvent particles inside? \_\_\_\_\_ • Solvent particles outside? \_\_\_\_\_

• Solute concentration inside? \_\_\_\_\_ • Solute concentration outside? \_\_\_\_\_

**(Activity A continued on next page)**



**Activity A (continued from previous page)**

4. Observe: Wait until the numbers are not changing very much. What do you notice about the solute concentrations inside and outside of the cell? \_\_\_\_\_

This situation is called **dynamic equilibrium**.

5. Experiment: Click **Reset**. Check that the **Solute outside** is 10 and the **Initial cell volume** is 40%. To calculate the solvent concentration, divide the number of solvent particles by the total number of particles, and then multiply by 100. (Note: The Gizmo only displays the *solute* concentrations.)

A. What is the solvent concentration inside the cell? \_\_\_\_\_

B. What is the solvent concentration outside the cell? \_\_\_\_\_

C. Where is there a higher solvent concentration? \_\_\_\_\_

D. Click **Play**. Do most of the solvent particles move into or out of the cell? (Hint: Does the cell expand or shrink?) \_\_\_\_\_

6. Experiment: Click **Reset**, and set the **Solute outside** to 1.

A. What is the solvent concentration inside the cell? \_\_\_\_\_

B. What is the solvent concentration outside the cell? \_\_\_\_\_

C. Where is there a higher solvent concentration? \_\_\_\_\_

D. Do you think the cell will get larger or smaller? \_\_\_\_\_

E. Click **Play** to confirm your predictions. Were you correct? \_\_\_\_\_

7. Summarize: You have observed examples of **osmosis**—the **diffusion** of a solvent (such as water) across a semipermeable membrane. Summarize what you have observed by filling in the blanks in the following paragraph:

*During osmosis, solvent particles move from an area of \_\_\_\_\_ concentration to an area of \_\_\_\_\_ concentration. When there is a higher concentration of solvent particles inside the cell, most solvent particles will move \_\_\_\_\_ the cell and the cell will \_\_\_\_\_. When there is a higher concentration of solvent particles outside the cell, most solvent particles will move \_\_\_\_\_ the cell and the cell will \_\_\_\_\_.*



<b>Activity B:</b> <b>Effect of cell volume</b>	<u>Get the Gizmo ready:</u> <ul style="list-style-type: none"> <li>• Click <b>Reset</b>.</li> <li>• Set the <b>Solute outside</b> to 5.</li> <li>• Set the <b>Initial cell volume</b> to 40%.</li> </ul>	
--	--	--

**Question: How does changing the cell volume affect solute concentrations?**

1. Experiment: Select the BAR CHART tab, and turn on **Show numerical values**.

A. Based on solute concentrations, do you expect the cell to swell or shrink? \_\_\_\_\_

B. Click **Play**, and observe. Was your prediction correct? \_\_\_\_\_

2. Observe: Click **Reset**. Move the **Initial cell volume** slider back and forth. How does the initial cell volume affect the solute concentrations inside and outside the cell?

---



---



---

3. Experiment: With the **Solute outside** set to 5, predict whether the cell will swell, shrink, or stay the same with each of the following **Initial cell volume** settings. Then use the Gizmo to check each prediction.

Predictions:      20% \_\_\_\_\_      50% \_\_\_\_\_      60% \_\_\_\_\_

Actual results:      20% \_\_\_\_\_      50% \_\_\_\_\_      60% \_\_\_\_\_

4. Analyze: Why do solvent particles flow into the cell when the initial volume is below 50%?

---



---

5. Extend your thinking: In the *Osmosis* Gizmo, the cell is placed in a very small chamber. Suppose a cell is placed in a large container of water with a very low solute concentration. What do you think would happen? Explain your answer.

---



---



---

